CLAIMS

What is claimed is:

with a plurality of radially directed channels.

- A plant container, comprising:
 a sidewall having a plurality of shoulders; and
 a base supported on the shoulders, the base having an upwardly facing surface
- 2. The plant container of claim 1, wherein the sidewall and the base are separable.
- 3. The plant container of claim 2, wherein the sidewall is a flexible panel that is bent and fastened in a closed curvilinear shape.
- 4. The plant container of claim 3, wherein fastening the panel around the base constrains displacement of the base.
- 5. The plant container of claim 1, wherein the upwardly facing surface is convex.
- 6. The plant container of claim 5, wherein the convex surface has a shape selected from conical, semispherical, elliptical, and irregular.
- 7. The plant container of claim 5, wherein the convex surface has a perimeter and a center that is between 1 and 2 inches higher than the perimeter.
- 8. The plant container of claim 5, wherein the convex surface has a shape comprising a central arch and a surrounding semispherical region.
- 9. The plant container of claim 1, wherein the upwardly facing surface has a center and a perimeter, and wherein the channels extend over more than half the distance between the center and the perimeter.

- 10. The plant container of claim 1, wherein the plurality of shoulders are inwardly extending, outwardly extending, or combinations thereof.
- 11. The plant container of claim 1, wherein the base has a generally circular perimeter.
- 12. The plant container of claim 11, wherein the perimeter of the generally circular base has a plurality of projections.
- 13. The plant container of claim 1, wherein the plurality of shoulders are provided by a plurality of protuberances.
- 14. The plant container of claim 13, wherein the plurality of protuberances have a proximal opening in communication with a distal opening.
- 15. The plant container of claim 14, wherein the base has a perimeter with a plurality of projections that extend into the plurality of protuberances through the proximal openings.
- 16. The apparatus of claim 15, wherein the proximal openings are larger than the distal openings.
- 17. The plant container of claim 16, wherein the convex face has a shape selected from conical, elliptical, semi-spherical, and irregular.
- 18. The plant container of claim 16, wherein the convex face has an irregular shape comprising a central arch and a surrounding semi-spherical or frustoconical region.
- 19. The plant container of claim 16, wherein the channels extend over more than half the distance from the center of the base to the perimeter of the base.

- 20. The plant container of claim 19, wherein the channels are disposed to direct roots toward the plurality of protuberances.
- 21. The plant container of claim 20, wherein each channel has a sidewall that directs roots toward an individual protuberance.
- 22. The plant container of claim 20, wherein the channels extend into the proximal openings of the protuberances.
- 23. The plant container of claim 21, wherein the channels have a distal end with a deflecting curve.
- 24. The plant container of claim 21, wherein the individual protuberance is one of the plurality of protuberances that provide the plurality of shoulders.
- 25. The plant container of claim 21, wherein the individual protuberance is not one of the plurality of protuberances that provide the plurality of shoulders.
- 26. The plant container of claim 1, wherein the channels are between 0.1 and 1 inches tall.
- 27. The plant container of claim 1, wherein the channels are between 0.15 and 0.75 inches tall.
- 28. The plant container of claim 1, wherein the channels are between 0.25 and 0.5 inches tall.
- 29. The plant container of claim 1, further comprising a central dome directing roots outwardly.

- 30. The plant container of claim 1, wherein the channels are taller at a distal end than at a proximal end
- 31. The plant container of claim 13, wherein the center of the proximal opening is positioned higher than the center of the distal opening when the panel is positioned upright.
- 32. The plant container of claim 31, wherein the perimeter of the base has a plurality of projections that extend into the plurality of protuberances through the proximal opening.
- 33. The plant container of claim 31, wherein the convex face has a shape selected from conical, elliptical, semi-spherical, irregular, and combinations thereof.
- 34. The plant container of claim 31, wherein the convex face has an irregular shape comprising a central arch and a surrounding frustoconical or semi-spherical region.
- 35. The plant container of claim 31, wherein the channels extend over more than half the distance from the center of the base to the perimeter of the base.
- 36. The plant container of claim 29, wherein the channels are disposed to direct roots toward the plurality of protuberances.
- 37. The plant container of claim 36, wherein each channel has a sidewall that directs roots toward an individual protuberance.
- 38. The plant container of claim 37, wherein the individual protuberance is one of the plurality of protuberances that provide the plurality of shoulders.
- 39. The plant container of claim 37, wherein the individual protuberance is not one of the plurality of protuberances that provide the plurality of shoulders.

- 40. The plant container of claim 37, wherein the plurality of protuberances have a lower profile with a substantially horizontal region that receives the projections.
- 41. The plant container of claim 40, wherein the proximal opening is larger than the distal opening.
- 42. The plant container of claim 13, wherein the plurality of protuberances extend inward.
- 43. The plant container of claim 42, wherein the sidewall further comprises a plurality of outwardly extending protuberances having a proximal opening in communication with a distal opening.
- 44. The plant container of claim 43, wherein the perimeter of the base has a plurality of projections that extend into the plurality of outwardly extending protuberances through the proximal opening.
- 45. The plant container of claim 44, wherein the channels are disposed to direct roots toward the plurality of protuberances.
- 46. The plant container of claim 45, wherein each channel has a sidewall that directs roots toward an individual protuberance.
- 47. The plant container of claim 46, wherein the individual protuberance is one of the plurality of protuberances that provide the plurality of shoulders.
- 48. The plant container of claim 46, wherein the individual protuberance is not one of the plurality of protuberances that provide the plurality of shoulders.

- 49. The plant container of claim 43, wherein the convex face has a shape selected from conical, elliptical, semi-spherical, irregular, and combinations thereof.
- 50. The plant container of claim 43, wherein the convex face has an irregular shape comprising a central arch and a surrounding frustoconical region.
- 51. The plant container of claim 43, wherein the channels extend over more than half the distance from the center of the base to the perimeter of the base.
- 52. A plant container, comprising:

a base having an upwardly facing convex surface with a plurality of radially directed channels; and

a container sidewall extending upward around the perimeter of the base, wherein the sidewall includes a hole adjacent the plurality of radially-directed channels.

- 53. The plant container of claim 52, wherein the convex surface comprises a central arch and a surrounding frustoconical or semi-spherical region.
- 54. The plant container of claim 52, wherein the channels extend over more than half the distance from the center of the base to the perimeter of the base.
- 55. The plant container of claim 52, wherein the channels have a distal end with a deflecting curve.
- 56. The plant container of claim 52, wherein the channels extend above the surface by between 0.1 and 1 inches.
- 57. A base for inserting in a plant container, comprising:

a base having an upwardly facing surface including a plurality of radially directed channels, a deflecting element near a distal end of each channel, and a root-tip-trapping

element, wherein the deflecting element directs roots against a wall of the container at an angle that causes the root to deflect off the wall and into the root-tip-trapping element.

- 58. The plant container of claim 57, wherein the upwardly facing surface is convex.
- 59. The plant container of claim 58, wherein the convex surface has a shape selected from conical, semispherical, elliptical, and irregular.
- 60. A plant container, comprising:
 - a container sidewall; and
- a base secured to the container sidewall, the base having an upwardly facing surface with a plurality of radially directed channels.
- 61. The plant container of claim 60, wherein the base has protrusions received within recesses in the container sidewall.
- 62. The plant container of claim 60, wherein the channels are substantially free from obstructions to radial root growth.
- 63. The plant container of claim 60, wherein the plurality of channels include at least eight channels.
- 64. The plant container of claim 60, wherein the container sidewall comprises protuberances and the channels are directed toward the protuberances.